

序号	监测时间	监测指标	监测结果	达标情况	超标倍数	备注
1	2015-11-30, 15	氨氮(mg/L)	0	正常		
2	2015-11-30, 00	化学需氧量(mg/L)	26.45	正常		
3	2015-11-29, 15	氨氮(mg/L)	3.1	正常		
4	2015-11-29, 00	化学需氧量(mg/L)	25.21	正常		
5	2015-11-28, 15	氨氮(mg/L)	1.8	正常		
6	2015-11-28, 00	化学需氧量(mg/L)	32.57	正常		
7	2015-11-27, 15	氨氮(mg/L)	0	正常		
8	2015-11-27, 00	化学需氧量(mg/L)	31.56	正常		
9	2015-11-26, 15	氨氮(mg/L)	0	正常		
10	2015-11-26, 00	PH值	7.75	正常		
11	2015-11-26, 00	化学需氧量(mg/L)	34.13	正常		
12	2015-11-25, 15	氨氮(mg/L)	0	正常		
13	2015-11-25, 00	化学需氧量(mg/L)	32.79	正常		
14	2015-11-24, 15	氨氮(mg/L)	0	正常		
15	2015-11-24, 00	化学需氧量(mg/L)	28.86	正常		
16	2015-11-23, 09	氨氮(mg/L)	0	正常		
17	2015-11-23, 00	化学需氧量(mg/L)	28.16	正常		
18	2015-11-22, 09	氨氮(mg/L)	3	正常		
19	2015-11-22, 00	化学需氧量(mg/L)	27.64	正常		
20	2015-11-21, 09	氨氮(mg/L)	3.2	正常		
21	2015-11-21, 00	化学需氧量(mg/L)	26.37	正常		
22	2015-11-20, 09	氨氮(mg/L)	0	正常		
23	2015-11-20, 00	化学需氧量(mg/L)	27.68	正常		
24	2015-11-19, 14	氨氮(mg/L)	0.3	正常		
25	2015-11-19, 00	化学需氧量(mg/L)	21.91	正常		
26	2015-11-18, 14	氨氮(mg/L)	0	正常		
27	2015-11-18, 09	总镍(mg/L)	0.058	正常		
28	2015-11-18, 09	总铅(mg/L)	<0.05	正常		
29	2015-11-18, 09	总铬(mg/L)	<0.05	正常		
30	2015-11-18, 09	总镉(mg/L)	<0.005	正常		
31	2015-11-18, 00	化学需氧量(mg/L)	25.85	正常		

32	2015-11-17, 14	氨氮(mg/L)	0	正常		
33	2015-11-17, 00	化学需氧量(mg/L)	55.14	正常		
34	2015-11-16, 14	氨氮(mg/L)	0	正常		
35	2015-11-16, 00	化学需氧量(mg/L)	27.6	正常		
36	2015-11-15, 14	氨氮(mg/L)	3.1	正常		
37	2015-11-15, 00	化学需氧量(mg/L)	29.23	正常		
38	2015-11-14, 14	氨氮(mg/L)	2.8	正常		
39	2015-11-14, 00	化学需氧量(mg/L)	35.58	正常		
40	2015-11-13, 14	氨氮(mg/L)	0	正常		
41	2015-11-13, 00	化学需氧量(mg/L)	35.1	正常		
42	2015-11-12, 14	氨氮(mg/L)	0	正常		
43	2015-11-12, 00	化学需氧量(mg/L)	31.91	正常		
44	2015-11-11, 14	氨氮(mg/L)	0	正常		
45	2015-11-11, 09	挥发酚(mg/L)	<0.05	正常		
46	2015-11-11, 09	悬浮物(mg/L)	11.3	正常		
47	2015-11-11, 09	生化需氧量(mg/L)	7.6	正常		
48	2015-11-11, 09	石油类(mg/L)	0.62	正常		
49	2015-11-11, 00	化学需氧量(mg/L)	28.31	正常		
50	2015-11-10, 14	氨氮(mg/L)	0	正常		
51	2015-11-10, 00	化学需氧量(mg/L)	26.29	正常		
52	2015-11-09, 14	氨氮(mg/L)	0	正常		
53	2015-11-09, 09	硫化物(mg/L)	<0.005	正常		
54	2015-11-09, 00	化学需氧量(mg/L)	27.51	正常		
55	2015-11-08, 14	氨氮(mg/L)	1.7	正常		
56	2015-11-08, 00	化学需氧量(mg/L)	25.98	正常		
57	2015-11-07, 14	氨氮(mg/L)	1.9	正常		
58	2015-11-07, 00	化学需氧量(mg/L)	23.87	正常		
59	2015-11-06, 14	氨氮(mg/L)	0.3	正常		
60	2015-11-06, 00	化学需氧量(mg/L)	23.89	正常		
61	2015-11-05, 14	氨氮(mg/L)	0	正常		
62	2015-11-05, 00	化学需氧量(mg/L)	25.37	正常		
63	2015-11-04, 14	氨氮(mg/L)	0	正常		

64	2015-11-04, 00	化学需氧量(mg/L)	28.73	正常		
65	2015-11-03, 14	氨氮(mg/L)	0	正常		
66	2015-11-03, 00	化学需氧量(mg/L)	28.55	正常		
67	2015-11-02, 14	氨氮(mg/L)	0	正常		
68	2015-11-02, 00	化学需氧量(mg/L)	30.22	正常		
69	2015-11-01, 14	氨氮(mg/L)	2.4	正常		
70	2015-11-01, 00	化学需氧量(mg/L)	32.01	正常		